

Chapter 11

Practice Test

Name: _____

Date: _____ Per: _____

Kinetic Molecular Theory

1. List the five postulates of the Kinetic-Molecular Theory.

Name the Gas Law

2. A potato chip bag pops when taken up in the mountains. _____
3. A balloon put in the freezer shrinks. _____
4. A lighter gas moves faster than a heavier gas. _____
5. The pressure of two gases is the sum of their partial pressures. _____

Calculations, Etc.

6. Equal amounts of gas at the same temperature and pressure have the same _____.
7. If the temperature of a sample of gas is halved at constant volume, the pressure will be _____.
8. The temperature at which matter stops moving is called _____.
9. The values of standard temperature are _____.
10. The values of standard pressure (in atm & mmHg) are _____.
11. Derive the value of R for pressure in atmospheres. (Must show work)

How would this process be different if you were to calculate the value of R for mmHg?

12. A sample of hydrogen gas has a volume of 4.40 L at a temperature of 145 °C and a pressure of 2.30 atm.
- a) How many moles are in the sample?

b) What is the mass of the sample?

13. A sample of gas measures 5.00 liters at 2.30 atmospheres of pressure. To change the volume to 3.50 liters at constant temperature, what pressure must be applied?

Chapter 11

Practice Test

Name: _____

Date: _____ Per: _____

14. A 2.50 L gas container is designed to hold gases with a pressure of up to 11000. mmHg. If a gas sample that has a pressure of 740. mmHg at $-20.0\text{ }^{\circ}\text{C}$ is placed in the container, at what temperature will the container burst?
15. A quantity of gas has a volume of 23.0 L at $-45.0\text{ }^{\circ}\text{C}$ and 1000. mmHg of pressure. If the conditions are changed to STP, what will the new volume be?
16. A quantity of gas has a volume of 650. L at $65.0\text{ }^{\circ}\text{C}$ and 7300. mmHg of pressure. If the gas has a mass of 1.75 g, what is the density of the gas at STP?
17. Given the equation, $\text{___ CuO(s)} + \text{___ H}_2\text{(g)} \rightarrow \text{___ Cu(s)} + \text{___ H}_2\text{O(g)}$, how many liters of hydrogen are needed to react with 88.0 g of copper (II) oxide at STP?
18. Two gases are combined in a 2.00 L container. If the first gas has a pressure of 1.50 atm at a volume of 4.00 L and the second gas has a pressure of 4.00 atm at a volume of 1.00 L, what is the pressure of the combined gases?